

Blue Sky Network

ASE RESILIENCE SOLUTION

Permanent-Satphone

Comcenter Indoor-MC08



SUMMARY OF KEY FEATURES

- PROVIDES OFFICE/IN-BUILDING SOLUTION FOR IRIDIUM SATPHONE
- NON REMOVABLE
- PERFECT FOR HIGHLY TRAFFICKED AREAS
- EASY CONNECTION TO IRIDIUM ANTENNA FOR INDOOR USE
- PROVIDES VOICE CONTINUITY IN DISASTERS--NATURAL OR MAN-MADE
- RELIABLE ASE EQUIPMENT

ASE-MC08 Iridium SatPhone Solution

Shown below are the components that are included with, or needed for the ASE-MC08.



Antenna Solutions

Antennas and cable systems for HQ applications. We recommend our premium filtered for Urban and Hospital environments.

Purchase separately-



Power Brick AC/DC

Reliable AC/DC Power Supply. Please specify Country Type.

Included in the Kit.



Dedicated Phone

We recommend the PT01 with Dialing Instructions. (Can integrate with any office phone.)

ASE PT01



ASE-MC08		
Voltage	10-32 VDC	Cable or DC Adapter
Power	12 Watts	Active Peak
Antenna Connections	Iridium TNC-F	
Operating Temp	-10 to 55 C	
Dimensions	9x 5 x 2.5 in.	23 x 15 x 13 cm
Weight	2 lbs.	0.9 kG
Shipping Weight	6.0 lbs.	3.0 kG
Shipping Dimensions	16 x 14 x 8 in.	41 x 36 x 20 cm

IRIDIUM PERMANENT INSTALL SATELLITE PHONE

V 1.1

ADDITIONAL FEATURES/COMPONENTS



Easy Office Integration

Use with Office Phones
Can integrate with any office.
 We recommend the ASE-PT01




-H Local Handset-
 Local Handset available.
Purchase by adding -H
 ASE MC08-H



Antennas go the Distance
 Passive Antennas up to 20 Meters. Active Antennas up to 105M
Antennas not included-
Purchase separately.

EXAMPLE INSTALLATION


SYSTEM SETUP



MC08 INSTALLATION DIAGRAM

MC08 PACKAGES AND COMPONENTS

SHIPPING INFORMATION

ASE-MC08	ComCenter II Indoor - fixed station iridium voice terminal	
	Harmonized Code - HTS#: 8517.62.0050 ECCN: 5A992.a Shipping Dimensions: 16 x 14 x 8, 6 LBS (41cm x 36cm x 20cm, 3 kg)	
ASE-MC08-H	ComCenter II Indoor - fixed station iridium voice terminal	
	Harmonized Code - HTS#: 8517.62.0050 ECCN: 5A992.a Shipping Dimensions: 16 x 14 x 8, 6 LBS (41cm x 36cm x 20cm, 3 kg)	
ASE-PT01	POTS Station - includes POTS phone, mount plate, and instruction placard	
	Harmonized Code - HTS#: 8518.30.2000 ECCN: EAR99 Shipping Dimensions: 16 x 14 x 8, 5 LBS (41cm x 36cm x 20cm, 2 kg)	

ASE ANTENNA AND CABLE OPTIONS:



CABLE LENGTHS and ANTENNA OPTIONS:

- ASE-PFA12 - 39' (12 meters) LMR600
 - premium passive filtered antenna, lightning arrester, and mounting bracket
- ASE-PFA20 - 66' (20 meters) LMR600
 - premium passive filtered antenna, lightning arrester, and mounting bracket
- ASE-PFA27 - 100' (27 meters) LMR200
 - premium active filtered antenna, lightning arrester, interface box, and mounting bracket
- ASE-PFA40 - 131' (40 meters) RG213
 - premium active filtered antenna, lightning arrester, interface box, and mounting bracket
- ASE-PFA70 - 230' (70 meters) LMR400
 - premium active filtered antenna, lightning arrester, interface box, and mounting bracket
- ASE-PFA88 - 289' (88 meters) LMR500
 - premium active filtered antenna, lightning arrester, interface box, and mounting bracket
- ASE-PFA105 - 344' (105 meters) LMR600
 - premium active filtered antenna, lightning arrester, interface box, and mounting bracket
- ASE-FA12 - 39' (12 meters) LMR400
 - passive antenna, and mounting bracket
- ASE-FA20 - 65' (20 meters) LMR600
 - passive antenna, and mounting bracket